
small and stylish







photo quality



Offering all these functions in one product, it is the ideal complete solution for your home.



easily create and share photo and other projects using one compact device

- Quick and easy direct printing, uploading to PC, and sharing digital camera photos with one of three photo card readers: CompactFlash™, SmartMedia™ and Sony Memory Stick®.
- Creative photo projects software lets you make the most of print and scan functions to easily produce fun projects like cards, invitations and photo albums.
- E-mail scanned photos or post them on the Web very simply.

photo-quality colour printing, flatbed faxing, scanning and copying

- Photo-quality colour printing at resolutions up to 2400 x 1200 dpi on photo paper, black text printing at 600 dpi.
- Colour printing at up to 10 pages per minute, black printing at up to 12 pages per minute.
- High-quality colour scanning at 600 x 1200 dpi, 9600 dpi enhanced resolution with accurate, 36-bit colours.
- Copying at up to 12 copies per minute in black and up to 9 in colour.

a small, stylish and user-friendly device designed for

- Thanks to its highly innovative design, HP's smallest flatbed all-in-one saves space and blends into your home environment perfectly.
- Its integrated software and intuitive control panel make it easy for everyone to use all functions.
- Clear and easy instructions let you set up and get going quickly.

easy and fun to use



download your photos via FlashCard™,

Sony Memory Sticks®

into the card slots on

Smart Cards™ or

the right side

ideal for printing and sharing your photos

The HP PSC 950 has been designed to make sharing and enjoying your family's favourite photos as simple as possible. The digital camera memory card slots let you print your photos directly – without using a PC.

Reviewing and printing your photos is a breeze: download them from the FlashCard TM , Smart Card TM or Sony Memory Stick $^{\circledR}$ (via the card slots in the printer). Press the front-panel key to make a photo proof sheet. Mark the images you want to print – and the sizes – on the sheet. Then scan it using the special "proof sheet" button. Finally, press (2) to print.

You can also download images from the memory cards direct to the HP Photo Center on your PC, where you can modify them, make creative projects such as albums and birthday cards, e-mail them to friends and family, or post them on a Website such as www.cartogra.com or www.MyFamily.com.



step 1:

to select photo(s), fill in bubble(s) underneath with a dark pen

step 2:

select print options, select only one choice per section

step 3:

place proof sheet on glass at bottom right corner, press **proof sheet** then **(2)** for printing

press the key on the front panel to make this photo proof sheet



hp psc 950 printer/flatbed fax/scanner/copier

technical specifications

print technology	drop-on-demand thermal inkjet
print speed (pages per minute)	dependent on type and print mode document type draft normal black text A4 12 6.5 4.7
	mixed text/ colour graphics A4 10 5.5 3.1
print quality	output best black 600 x 600 dpi
colour technology	colour 2400 x 1200 dpi on photo paper HP Photoret III precision technology
printer languages	HP PCL 3/gui
typefaces	Courier, Courier Italic; CG Times, CG Times Italic; Letter Gothic, Letter Gothic Italic; Univers, Univers Italic
fax function	
fax modem fax speed dials	14.4 kbps fax modem 60
fax speed	6 seconds/page speed at 14.4 kbps (based on ITU-Test Image no. 1 at standard resolution)
max nr. of A4 pages held in fax memory	50 pages (based on ITU-Test Image no. 1 at standard resolution)
fax features	walk-up colour fax/manual multi-page fax/automatic redial/ confirmation on activity reports/ring detect with automatic fax/ answering machine switching/delayed faxing
scan function	
scanning type	flatbed
scan resolution bit depth	600 x 1200 dpi optical up to 9600 dpi enhanced 36-bit
grayscale	8-bit (256 levels of grey)
scan features	 flatbed scanner enables easy scanning of books, magazines, 3-D objects and other bound documents scan-to applications, share-to-web: hp cartogra, MyFamily
copy function	
resolution (b/w)	600 x 600 dpi
colour text and graphics reduce/enlarge	600 x 1200 dpi 25 to 400%
max. number of copies	99
copy speed (copies per minute)	document type draft normal best black 12 8 3.5 colour 9 5 1
other specifications	
duty cycle	2000 pages per month
recommended media weight	60 to 200 g/m²
media sizes	standard: up to A4 custom: 76.2 x 76.2 mm to 216 x 356 mm
media types max. media	see ordering information paper: 60 to 90 g/m², envelopes: 75 to 90 g/m²,
weight range	cards: up to 200 g/m² index
paper handling	100-sheet input tray, 20-sheet 10 x 15 cm photo paper tray, 50-sheet output tray
power requirements	100 – 240 VAC, 50 – 60 Hz
fuse needed	1A maximum
power consumption interface and connectivity	input frequencies: 50-60 Hz / maximum input current: 1A / consumption: 50 watts maximum
software included	HP creative photo projects, Readiris™ optical character recognition (OCR) and hp photo printing software
dimensions (w x d x h)	out of package: 358 x 452 x 272 mm packaged: 360 x 508 x 429 mm
product weight	out of package: 8.84 kg packaged: 11.61 kg
minimum system requirements	for PC: Microsoft® Windows® minimum system requirements, Any Intel® Pentium® II or Celeron™ processor (Pentium® II recom- mended), Microsoft® Windows® 98, Me, Windows® 2000,
	Any Intel® Pentium® II or Celeron™ processor (Pentium® II recommended), Microsoft® Windows® 98, Me, Windows® 2000, 64 MB of RAM for Windows® 98, 98 SE, Me, Windows® 2000 (128 MB RAM is recommended), 190 MB hard disk space, plus 50 MB for full-colour scanning, CD-ROM drive, SVGA monitor
	and internet access recommended
	for MAC: Macintosh® minimum system requirements, G3 process Mac® OS 9.1, 64 MB RAM (128 MB RAM is recommended), 100 MB available hard disk space, plus 50 MB for full-colour scanning, CD-ROM Drive, 800 x 600 and 256-colour display,
	scanning, CD-ROM Drive, 800 x 600 and 256-colour display, sound card and internet access recommended
	additional information: for Windows® XP and Mac OS X suppor please check on our website www.hp.com/go/officejetsupport o contact your local HP representative, Windows NT® 4.0, 95, 3.1 and DOS are NOT supported. Macintosh® OS 9 and earlier are
operating environment	additional information: for Windows® XP and Mac OS X support please check on our website www.hp.com/go/officejetsupport contact your local HP representative, Windows NT® 4.0, 95, 3.1 and DOS are NOT supported. Macintosh® OS 9 and earlier are NOT supported, USB cable is NOT included environmental ranges operating temperature: 5 to 40 °C
operating environment	additional information: for Windows® XP and Mac OS X support please check on our website www.hp.com/go/officejetsupport ocontact your local HP representative, Windows NT® 4.0, 95, 3.1 and DOS are NOT supported. Macintosh® OS 9 and earlier are NOT supported, USB cable is NOT included environmental ranges operating temperature: 5 to 40°C operating humidity: 15 to 80% RH non-condensing recommended operating temperature: 10 to 35°C
operating environment	additional information: for Windows® XP and Mac OS X support please check on our website www.hp.com/go/officejetsupport or contact your local HP representative, Windows NT® 4.0, 95, 3.1 and DOS are NOT supported. Macintosh® OS 9 and earlier are NOT supported, USB cable is NOT included environmental ranges operating temperature: 5 to 40°C operating humidity: 15 to 80% RH non-condensing recommended operating temperature: 10 to 35°C noise level per ISO 9296 sound power: Sound power LwAd: Econofast printing 6.3 Bels(A) fast and normal mono copying 5.9 Bels(A); all other per ISO
operating environment	additional information: for Windows® NP and Mac OS X support please check on our website www.hp.com/go/officejetsupport of contact your local HP representative, Windows NT® 4.0, 95, 3.1 and DOS are NOT supported. Macintosh® OS 9 and earlier are NOT supported, USB cable is NOT included environmental ranges operating temperature: 5 to 40 °C operating temperature: 5 to 40 °C operating humidity: 15 to 80% RH non-condensing recommended operating temperature: 10 to 35 °C noise level per ISO 9296 sound power: Sound power LwAd: Econofast printing 6.3 Bels(A) fast and normal mono copying 5.9 Bels(A); all other per ISO 9296 modes 5.9 Bels(A) or lower / Sound pressure LpAm: Econofast printing 51_dB(A); all other modes 48 dB(A) or lower,
operating environment	additional information: for Windows® XP and Mac OS X support please check on our website www.hp.com/go/officejetsupport o contact your local HP representative, Windows NT® 4.0, 95, 3.1 and DOS are NOT supported. Macintosh® OS 9 and earlier are NOT supported, USB cable is NOT included environmental ranges operating temperature: 5 to 40 °C operating humidity: 15 to 80 % RH non-condensing recommended operating temperature: 10 to 35 °C noise level per ISO 9296 sound power: Sound power lwAd: Econofast printing 6.3 Bels(A) fast and normal mono copying 5.9 Bels(A); all other per ISO 9296 modes 5.9 Bels(A) or lower / Sound pressure LpAm;







ordering information

number	description
c8436a	hp psc 950 printer/flatbed fax/scanner/copier, hp no. 15 black inkjet cartridge (25 ml), hp no. 78 tri-colour inkjet print cartridge (19 ml), installation software on CD-ROM, plus HP creative photo projects, Readiris TM optical character recognition (OCR) and HP photo printing software, power cord, user's guide and easy set-up instructions, USB cable NOT included
supplies	incloded
c6615de	hp no. 15 black inkjet print cartridge
c6578de	hp no. 78 tri-colour inkjet print cartridge
c6578ae	hp no. 78 large tri-colour inkjet print cartridge
media	
c5977b	hp bright white inkjet paper, A4 (250 sheets)
c1825a	hp bright white inkjet paper, A4 (500 sheets)
51634z	hp premium inkjet coated paper, A4 (200 sheets)
c1853a	hp premium inkjet heavyweight paper, A4 (100 sheets)
c6818a	hp professional brochure and flyer paper, A4 (50 sheets)
c3832a	hp premium inkjet transparency film, A4 (20 sheets)
c3835a	hp premium inkjet transparency film, A4 (50 sheets)
c6040a	hp premium photo paper, A4 (15 sheets)
c7040a	hp premium plus photo paper, glossy, A4 (50 sheets)
c1847a	hp two-sided photo paper, A4 (20 sheets)
c6984a	hp photo-quality inkjet paper, A4 (25 sheets)
c6832a	hp premium plus photo paper, glossy, A4 (20 sheets)
c6951a	hp premium plus photo paper, matte, A4 (20 sheets)
c6945a	hp premium plus photo paper, glossy, 10 x 15 (20 sheets)
c6042a	hp matte greeting cards (20 cards/envelopes)
c6045a	hp glossy greeting cards (10 cards/envelopes)
c7014a	hp colorfast photo paper, A4 (20 sheets)
c6829a	hp textured greeting cards (20 cards/envelopes)
c6050a	hp inkjet t-shirt transfer, A4 (10 sheets)
chp210	hp printing paper, A4 (500 sheets)

Windows is a U.S. trademark of Microsoft Corp. All other brand and product names are trademorks or registered trademarks of their respective companies.

The information in this document is subject to change without notice.

The ENERGY STAR emblem does not represent EPA endorsement of any product or service.

© Hewlett-Packard Company Printed in the Netherlands 07/01

5980-5492EEE

http://www.hp.com http://www.hp.com/go/all-in-one

For more information, please call your local HP sales office or representative: Austria: 0810/006080 (local rate call), Azerbaijan: +7 (99412) 973 561, Belgium: (02) 778 34 00, Luxembourg: (+352) 263 160 34, Bulgaria: (+359) 2960 1940, CIS: (007) 095 797 3500, Croatia and Slovenia: (+385 1) 60 60 200, Czech Republic: (00 420 2) 613 07 111 (Prague), Denmark: 45991125, Dubai (Gulf Region): (971) 488 15 456, East Central Europe (Vienna HQ plus Albania): (+43) 1.250 00, Estonia: (+372) 6 505 263, Finland: (09) 88721, France: (1) 69 82 6060, Germany: 0180 532 6222 (0.24 DM per minute), Greece: (01) 619 64 11, Hungary: (+36) 1 382-1111, Iceland: (354) 570 1000, Ireland: (00) 353 1 61 58 200, Israel: (972) 9 952 4848, Italy: (02) 92121, Kazakhstan: +7 (3272) 980 824, Morocco (African Region): (212) 222 21340, Netherlands: (020) 5476666, Norway: 22 735600, Poland: infolinia 0-801 607 607 (0,29 zH+ VAT/min), Portugal: (808) 206 001, Romania: (+401) 250 6197, RSA: (27)11 806 1000 Slovakia: (+421 7) 68 20 90 11, Spain: (91) 6311600, Sweden: (08) 444 2000, Switzerland: 0848 88 44 66, Turkey: +90 (216) 579 71 71, UK: (0990) 474747, Ukraine: 380 44 490 61 20, Uzbekistan: +7 (99871) 169 1488, Yugoslavia: (+381) 11 627 134, Multi Country Operations (MCO) (Geneva): (22) 7804111, European Headquarters (Geneva): (22) 7808111.